CORRES CONTROL
OUTGOING LTR #

OOE ORDER #

05-RF-00875

05-RF-00	<b>)87</b>	5
DIST	LTR	ENC
CROCKETT, G	T	П
ERRERA, D.W.	1 x	x
SILPIN, H.E.	1	Ť
ONG, J.W.	1 -	
JNDSAY, D. C.	<b>†</b>	
HELTON, D.C.		
UOR, N.R.	П	
NYDER, D	L	
ACGRORY, M		
BEAN, C.		
INSINBIGLER, H		
JESTA, S.	X	X
RIMROSE, A	ــــ	Щ
VIEMELT, K		
OBERTS, F	X	X
ABLE, J.	Х	
IEHWEG, R. E.	X	X
ININGER, R.	X	
	<b>├</b> —	H
		Н
	-	H
	⊢	$\vdash$
		Н
		$\vdash$
	<del> </del>	Н
	$\vdash$	$\vdash$
	1	
	1	
ORRES.CONTROL	Х	х
ATS		
DMN: RECORD	X	<u>×</u> ≥
ASTE REC CTR	Ш	
RAFFIC	نـــا	
CLASSIFICATI	ON:	1
CNI	$\Box$	
<b>VCLASSIFIED</b>	X	$\mathbf{X}^{\perp}$

KAISER HILL

September 21, 2005

05-RF-00875

John J. Rampe Director Project Management Division DOE, RFPO

Attn: C. Franklin

MONTHLY DISCHARGE MONITORING REPORT - NPDES PERMIT NO. CO-0001333 - DWF-097-05

Action: Transmit to EPA and CDPHE

The August 2005 Discharge Monitoring Report (DMR), required by the Rocky Flats Environmental Technology Site National Pollutant Discharge Elimination System (NPDES) Permit is enclosed. During the August 2005 reporting period, there was no discharge from the Sewage Treatment Plant (Outfall STI 1), which is indicated on the forms. As directed by the form instructions, "No Discharge" is written across the form in place of data entry.

On November 24, 2004 the co-permittees provided formal notification to Environmental Protection Agency of the abandonment of Outfall STP1 and requested agency action to remove the outfall from the current permit. Until that action is taken, the requirement to submit monthly reports remains in effect. Once agency action is taken, the requirement for monthly reports will be removed.

Please sign and date the DMR forms and transmit them to the EPA and the Colorado Department of Public Health and Environment. The NPDES permit requires that the report be postmarked no later than September 28, 2005, and be sent to the following addressees:

U.S. E.P.A., Region VIII
Office of Enforcement, Compliance and
Environmental Justice
Planning and Targeting (8ENF-PT)
999 - 18th Street, Suite 500
Denver, CO 80202-2466

Attn: Ms. Sandra Johnson

Colorado Department of Public Health and Environment WQCD - PWQPS - B2 4300 Cherry Creek Drive South Denver, CO 80246-1530

Attention: Mr. Dave Akers, Manager

If you have any questions or desire additional information on this matter please contact J. R. Cable at extension 7498.

ADMIN RECORD

Kaiser-Hill Company, L.L.C.
Rocky Flats Environmental Technology Site, 10808 Hwy. 93 Unit B, Golden CO 80403-8200 303-966-7000

**ACTION ITEM STATUS:** 

7 PARTIAL/OPEN

LTR APPROVALS:

ORIG. & TYPIST INITIALS:

Letter # DWF-097-05

CLOSED

st Name)

ist Name)

September 21, 2005 John J. Rampe Director Project Management Division DOE, RFPO

We certify under penalty of law that this document and all enclosures were prepared under our direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on our inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of our knowledge and belief, true, accurate, and complete. We are aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Dennis W. Ferrera

Vice President, Project Manager

Remediation, Industrial, and Site Services

Kaiser-Hill Company, L.L.C.

Frances L. Roberts

General Manager

Rocky Flats Closure Site Services, L.L.C.


JRC:rlm

Enclosures:

As Stated

Original and 1 cc - John Rampe

cc: C. Franklin, DOE/RFPO



COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

THAT NO DISCHARGE OR OVER IT SHALL BE STATED MONITORING PERIOD IF NO DISCHARGE OCCURS DURING FLOW OCCURRED

NAME USDDE-ROCKY FLATS ADDRESS 10808 HIGHWAY 93,	FIELD	OFFICE SE	<u> </u>	DISCHARGE MONITORING REPORT	NG REPORT (DMR)	(R)	AJOR	ОМВ	OMB No. 2040-0004	•
GOLDEN	<b>U</b>	CD_80403=8200		PERMIT NUMBER	DISCHAR	DISCHARGE NUMBER	F FINAL		10 to	ا آ
FACILITY STATE-RACKY FI ATS		DEFICE	OW LAVA		MONITORING PERIOD	DAN	ـ ـ دوي	ន្តិ ព្រះប្រព័ ព <sub>្រ</sub>		_
SOLUTION OF THE PROPERTY OF TH	μ	CD 80403-820GHOW	G C	0	-	*	*** NO DISC NOTE: Read Inst	SCHARGE: I	completing this form	
ALLIN CHESTERARES	C DOA	QUANTITY OR L	TY OR LOADING	in the second	NO STATE OF THE ST	QUANTITY OR CONCENTRATION	CENTRATION	NO	FREQUENCY OF	SAMPLE TYPE
PARAMETER		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	· V	
; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	SAMPLE MEASUREMENT	本 (A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	**************************************	nesses Nesses Nesses	10 TO	****		12 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	1000C	SP (A)
CO460 E CO O PEFFI UENT GROSS VALUER	VALUE REQUIREMENT	****	* * * * * * *	**	5.5 INIMUM	****	MENAL X OF A	1 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	PABLY 6	N. F.
TX, TOTAL	SAMPLE MEASUREMENT	本本 本本 本本 2 ()	**************************************	ne việ nearl	*************************************	***		Cross	3 30	
	PERMIT PERMIT	****	* ***	500 * * * * * * * * * * * * * * * * * *	***	V****	PEPUHIT CALL	x Mro 21.0	MEEK	
k qc»	SAMPLE	本本本本 本本本本 本本本本	**************************************	ere (	森 本本 本本本本本本本本本本本本本本本本本本本本本本本本本本本本本本本	100		(61 2	2966 AB 8	j t
on si	PERMIT:	****	****	0:X	*****	VECTORITY AND AND AND AND AND AND AND AND AND AND	PEPORT DOT! V MX		TWICE	DO AND
DTAL STATE	SAMPLE	本	***		****	l\ear		6 197	8) 016 0 00	
्रोते । स्टेक्ट	PERMIT	**************************************	**************************************	***	****	1.5 20114 61/0	25 27 T V T V M X	ACENTAL SERVICE SERVIC	WICE/C	Chirage
	SAMPLE MPASI BEMENT	**********	****	Part C	* * * * * * *	₩. <b>*</b>		-	otoi .281	57
00556 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PERMIT RECUIREMENT	****	1. C.	***	***	*****	NW KATES	<b>X</b> MG/1	SEE:	ПАВ
NIA,	SAMPLÉ MEASI BEMENT	***	**************************************		****	**************************************		100 100 100	iccti	ro
	PERMIT	**************************************	** ***********************************	10 10 10 10 10 10 10 10 10 10 10 10 10 1	*****	****	REPORT DAJLY M		TMACE	acidivio
CNITRITE	SAMPLE	**************************************	**************************************		****	****		205 205	a th not not	pe
006150 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PERMIT:	**************************************	* *****	**************************************	***	* # * * * * * * * * * * * * * * * * * *	A BAILY M	\$ 00 m	TWICE/	ОМРО
(ECUTIVE OF	17:1	Certify under penalty of law that this docume or prepared under my direction or suberysion in	is document and all attact	ments were tha system designe		iree te	11	C TELEPHONE	VO CO	<u> </u>
A becomed and a become a become and a become a become and a become a becom		to assure that qualified personnels submitted. Based on my induity of or those persons directly responsible to the best of my known to the best of the persons directly responsible to the best of the persons the	argomet property gather and evalual Induity of the person or persons wh responsible for gathering the Inform of my knowledge and belief the ac	te the information o manage the syste ation, the informatio	100 N			and ervari b. OC	T TOST	Charles and the second
STATES OF PRINTED COMPANY	l am a	I am aware that there are significant penalties including the possibility of fine and imprisonm	t penalties for submitting f imprisonment for knowing	alse information, violations	OFFI	CER OR AUTHORIZED AGENT	3	AREA NUMBER	YEAR MO	o DAY.
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) I F. NO -DISCHARGE OCCURS DURING THE ENTIRE MC FLOW OCCURRED.	N VIOUATIONS (A) RS DURING	THE ENTIRE	NITOR	ING PERI	S LI 7 GOI	HALL BE S	STATED THA	con <b>R</b> ole U.P.( W. <b>P</b> ub Dudget	Public average lacker	OVER
iii 3320-1 (REV 3/99)	Previous editions may be used	pesn.	adjusting to the second	والمعاملة المعاملة ا	and the state of t	000	\$1.HE15000711HE18	HIS 13 4-PART F	ORM PAGE	4 4
			<b>建</b>							

NATIONAL FOLLUTANT, DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name Location of Different)
NAME

NAM

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different) NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR) Form Approved. OMB No. 2040-0004 USDOE-ROCKY FLATS FIELD OFFICE MAJOR ADDRESS 10808 HIGHWAY 93, UNIT C00001333 STP PERMIT NUMBER GOLDEN DISCHARGE NUMBER CD 80403-8200 FF - FINAL DISCHARGE FROM SEWAGE FACILITY USDOE-ROCKY FLATS FIELD OFFICE LOCATION GOLDEN CO 80400 MONITORING PERIOD YEAR. MO. DAY YEAR: DAÝ CD 80403-8200FROM . Q5 31 \*\*\* NO DISCHARGE ATTN: JOE LEGARE ASST MGR/ENVECOME NOTE: Read Instructions before completing this form. **CUANTITY OR LOADING** QUANTITY OR CONCENTRATION  $\mathfrak{S}_{i}$ NO: FREQUENC SAMPLE OF. ANALYSIS PARAMETER TYPE UNITS AVERAGE MAXIMUM: UNITS MINIMUM AVERAGE MAXIMUM NITROGEN NITRATE SAMPLE \*\*\*\* \*\*\*\* \*\*\* \*\*\* MEASUREMENT TOTAL (AS: N) 00620 O. PERMIT \*\*\*\*\* \*\*\*\*\* \*\*\*\* \*\*\*\*\* REPORT WICE/ REQUIREMENT EFFLUENT GROSS VALUE DAILY ME IGYL WEEK PHOSPHORUS TOTAL SAMPLE \*\*\*\* \*\*\*\* MEASUREMENT (AS P) ₹0 00665 PERMIT \*\*\*\* WICE/OOMPOR EFFLUENT GROSS VALUE REQUIREMENT G. WEEK ADDA A /MX MG/ \*\*\*\* \*\*\* SAMPLE: \*\*\*\* 28 TOTAL RÉCOVÉRABLE MEASUREMENT 01118 0 0 \*\*\*\* WICE/COMPOS PERMIT. EFFLUENT GROSS VALUE REQUIREMENT DAILY MX UG/L MUNTH CHROMIUM CHEXAVALENT \*\*\*\* \*\*\*\* 28 SAMPLE \*\*\*\*\* €5 2367 DISSOLVED (AS CR) MEASUREMENT 1 0 20 01220 PERMIT \*\*\*\*\* EFFLUENT GROSS VALUE REQUIREMENT PERMI DVA AUG DAILY MX WG/L SILVER) SPOTENTIALLY SAMPLE \*\*\*\* \*\*\* \*\*\*\* 28) 47.18 MEASUREMENT DISSOLVED 01304 🖟 1. 🔭 0 🚟 0 PERMIT \*\*\*\*\* \*\*\*\* 0.6 WEEKLYCOMPOS EFFLUENT GROSS VALUE REQUIREMENT **30DA AVG** UG/L DAILY MY CARBON TETRACHLORIDE \*\*\*\* SAMPLE \*\*\* \*\*\*\* ٧ MEASUREMENT 32102 🖫 PERMIT \*\*\*\* \*\*\*\*\* \*\*\*\*\* drab! REQUIREMENT EFFLUENT GROSS VALUE GODA: AVG MONTH 1/2-DICHLOROETHANE SAMPLE \*\*\*\* 28) MEASUREMENT 32103 🖁 1 O PERMIT \*\*\*\*\* GROSS VAL REQUIREMENT GODA AVG l:Certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed NAME/TITLE PRINCIPAL EXECUTIVE OFFICER TELEPHONE. DATE is prepared under my direction or supervision in accordance with a system designed to assure that qualified obersonnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information; the information assumitted is to the best of my knowledge and belief, true, accurate, and complete is a ware that there are significant penalties for submitting take information.

Including the possibility of fine and imprisonment for knowing violations. iezb SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT YEAR MO DAY COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

IF NO DISCHARGE OCCURS DURING THE ENTIRE MONITORING PERIOD, IT SHALL BE STATED THAT NO DISCHARGE OR OVER

Form Approved. OMB No. 2040-0004

USDOE-ROCKY FLATS FIELD OFFICE ADDRESS 10808 HIGHWAY 93, UNIT A

CD:80403#8200

DISCHARGE NUMBER

MAJOR

F - FINAL

GOLDEN

USDOE-ROCKY FLATS FIELD DEFICE CO 80403

**MONITORING PERIOD** YEAR MO DAY YEAR MO DAY 08 01 TO 05 08 31

\*\*\* NO DISCHARGE I \*\*\*

DISCHARGE FROM SEWAGE TRMT PLT

LOCATION GOLDEN C0380403=8200 ROM

PERMIT NUMBER

ATTN: JUE LEGARE AS	ST MGR/EN	Z COMP	86 5				NOTE: Read Instru	ctions before	comp	leting this f	orm.
\$ \$ \$			TITY OR LOADING			UANTITY OR CONC	ENTRATION	ies	NO.	- 20F	SAMPLE TYPE
PARAMETER		AVERÁGE	MÁXIMUM	UNITS	MUMINIMUM	AVERAGE	MAXIMUM	UNITS		ANALYSIS	
BENZENE	SAMPLE MEASUREMENT	*****	*****	91.73 0988	日本 (2) <b>多米米米米</b> (3) (3) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	*****		C 287	/s	.oga	99
34030 1 0 0 EFFLUENT GROSS VALUE	PERMIT	****	*****	*** ****	*****	****	5 GUDA AVG	NOV V		MOEV	PAR
1.1-DICHLDROETHYEEN	SAMPLE	****	*****		***	**************************************	© <b>/</b>	作調	/		
34501 1 0 0	MEASUREMENT PERMIT:	*****	***	#** 8	法条件条件	*****	N 17	<b>\</b>	E C	NCEZ	PRAB
EFFLUENT GROSS VALUE	REQUIREMENT SAMPLE	*****	5 A	****	****	****		( 28)	7	MONTH	T.
ETHANE & S.	MEASUREMENT	<u> Į jūja</u>			illa albi	6 6	100			A CALL	i beta
34506 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	***	我的事和特殊 (	****	*****	3178 11 3 11 11	OVA ADOC	S Started Pierre		MENTH	GRAB
DICHLORGETHENE, 1, 2-	SAMPLE MEASUREMENT	****	*****	12 July 1	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	*****	O	18 28 y	E.C. B		9
38676 # 20 0	PERMIT REQUIREMENT	V	434444	***	*****	*******	DATLY MX	eg/La		NGE/ MONTH	CRAB
TRICHLOROETHYLENE	SAMPLE MEASUREMENT	*****	*****		*****	****		( 28)			397
39180 1 0 0	PERMIT	यम् कस्यस	(*************************************	***	*****	*****	GODA AVG	UG/L	E	NCE/ MONTH	BRAB -
FLOW, IN CONDUIT OR	SAMPLE	<b>****</b> **		****	****	****	****		0	2.7	
THRU TREATMENT PLANS	PERMIT	44444	0.5		****	****	<b>有种种种种</b>	****	\$ 10 A	DNTIN	ROOFL
COLIFORN FECAL		V *****	GODA AVG	NGD.	* * ******	8 <del>4</del> 5 0		**#* ( 13)	9 9	UDUS.	(1)
GENERAL	MEASUREMENT						4.00		150	8.3.	
74055 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	<b>分析外的分析</b>	<b>教教学体验</b> 等(	***	计特殊符件型	GEO AGOD	7 DA GEO	LOOMS		MEEK	anne.
NAME/TITLE PRINCIPAL EXECUTIVE O	PFICER I Certify prepared to assure submitted of those	under my direction or set that qualified personnel d. Based on my inquiry persons directly respons	this document and all atta upervision in accordance property gather and eval of the person or persons value bible for gathering the into nowledge and belief, true, and penalties for submitting	with a system duate the informa who manage the mation, the info	Bystem, ormation complete: SIGN	TURE OF PRINCIPAL		TELERHON	10.1213		VIE
TYPED OR PRINTED	-including	the possibility of fine an	d imprisonment for knowl	ng violations:	OFI	FICER OR AUTHORIZE	D AGENT AR	DE NUMBE	BE 4	YEAR	ÎÖ LDAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments fiere)

IF NO DISCHARGE OCCURS DURING THE ENTIRE MONITORING PERIOD, IT SHALL BE STATED THAT NO DISCHARGE OR OVER # < 58 3 5 4 % FLOW OCCURRED.

	*** NO DISCHARGE	*** MAXIMUM UNITS:	SODA AVG		***************************************	**** *** *** *** *** *** *** *** *** *	**************************************	SIGNATURE OF PRINCIPAL EXECUTIVE SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT ABEAL NUMBERS OFFICER OF AUTHORIZED AGENT	BE STATED THAT NO DESCHARGE OF OVER
CORCO 1333 C	LOADING	******* ****** ***********************	**************************************	**************************************	**************************************	A WAR	*** *** *** *** *** *** *** *** *** **	accordance with a system casigned and selection of the raid selection with a system casigned in the raid selection of the raid selection with a information from a casign the raid on the raid of the	DNITORING PERIOD, IT SHALL
HIGHWAY 93, UNIT	CD B040	ALPHA, GROSS PARTICL SAMPLE ****** E ACTIVITY MEASUREMENT ******	ENT GROSS VALUE REQUIREMENT CARBONACEDUS NEASUREMENT COO COO COO COO COO COO COO COO COO CO	S SAMPLE. MEASUREMENT PERMIT: #	S, SAMPLE MEASUREMENT ** REGUIREMENT **	SAMPLE	ENT GROSS VALUE REGUIRE CHLORDETHYLENE SAMPI MEASURE TO O C PERM ENT GROSS VALUE REGUIRE TILEPRINCIPAL EXECUTIVE OFFICERS	propaga Under My direction of suppartition of suppartition of suppartition of suppartition of suppartition of the propagation o	COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments have I F. NO DISCHARGE OCCURS DURING THE ENTIRE ME FLOW OCCURRED.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES). DISCHARGE MONITORING REPORT; (DMR)

NAME USDOE-ROCKY FLATS FIELD OFFICE ADDRESS 10808 HIGHWAY 93, UNIT A

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME

ERMITTEE NAME/ADDRESS (include AME USDOE-ROCKY FL DDRESS 10808 HIGHWAY	ATS FIELD C	FFICE	COGOO	HARGE MON	7 Har 4.9	OMR) MA	JOR	Form OMB	Approved. No. 2040-00	04
GOEDEN GOEDE-ROCKY FL GOEDEN	CC ATS BIELD C		YEAR	MO DA	TORING PERIOD	D.I. MO DAY	- FINAL SCHARGE F			PLT
ITN: JÕÉ LEGARE A		COMP	ITITY OR LOADING	mer was made to	The second secon	UANTITY OR CON	NOTE: Read Insti	uctions before co	mpleting this O: FREQUENC	<u> </u>
PARAMETER		AVERÁGE	MAXIMUM	UNITS	MINIMUM	ÁVERAGE	MAXIMUM		X OF ANALYSIS	TYF
ROSS BETA	SAMPLE	****	***	- A	****	****	and the second s	( 17)		-
5817	MEASUREMENT PERMIT	****	******	<b>%*</b> *	3 # # # # #	****	17	ici A	TWICE	SUCIME
FFLUENT GROSS VALU	REQUIREMENT SAMPLE			****		(i) (ii) (ii)	30DA AVS		MONTH	
(E)	MEASUREMENT						CC			<u> </u>
	REQUIREMENT SAMPLE		1 88 FF 1/1 m /		<u> </u>	경 : 1	1 A A A Market		4 5 5	1 .
	MEASUREMENT						K (EX			
	PERMIT: REQUIREMENT								* E	
	SAMPLE MEASUREMENT	0)(0)				クン				4
	PERMIT:	4.								
	SAMPLE MEASUREMENT	g Wash		1855 A			V-120			8
	PERMIT REQUIREMENT	1	F 151 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		San San David Standard Maria	ad a direction of the same of	a principal company of the first principal company of the firs			1
	SAMPLE	<u> </u>			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		100	NA SA		7.0 W
	MEASUREMENT PERMIT			A A A A A A A A A A A A A A A A A A A						
	REQUIREMENT	· 网络							¥ 8 3	16
	MEASUREMENT. PERMIT		edans edans engon							L.C
NAME/TITLE PRINCIPAL EXECUTIVE	REQUIREMENT	nder panelty of law that	this document and all atta		ed [2]   D	21 10 (C)		and the second		
	The factor to Mannes of Street on Williams	under my direction or si that qualified personnel	upervision in accordance v properly gather and evalu	vith a system de ate the informat	signed //	ne persión Muero Linkulisas Te	G G		Sel : Select	ATE
belikien og er by	or those submitted	persons directly respons I is , to the best of my kr	of the person or persons v lible for gathering the infor lowledge and belief, thie,	mation/the intor accurate, and co	mation omplete.	TÜRE OF PRINCIPAL	EXECÚTIVE _			
TYPED OR PRINTED  SMENTS AND EXPLANATION OF	including	the possibility of fine an	int penalties for submitting d imprisonment for knowir		off	CER OR AUTHORIZE		NUMBER.	YEAR	мо с

IF NO DISCHARGE OCCURS DURING THE FLOW OCCURRED. ENTIRE MONITORING PERIOD, IT SHALL BE STATED THAT NO SOISCHARGE OR OVER